







| | | | | | | | |
|---|--|--|--|--|--|---------------------------------|--|
| INFORMATION DISCLOSURE CITATION (Use several sheets if necessary) | | | | ATTY DOCKET NO. UAB-17404/22 | | SERIAL NO. 10/790,914 | |
| | | | | APPLICANT(S) APPLICANT: Fengxia Qi | | | |
| | | | | FILING DATE March 2, 2004 | | GROUP | |



| U.S. PATENT DOCUMENTS | | | | | | | |
|--|---|---------|-------------------|--------------------------------|----------|----------------------------|----|
| *EXAMINER INITIAL | DOCUMENT NUMBER | DATE | NAME | CLASS | SUBCLASS | FILING DATE IF APPROPRIATE | |
|  | 4,554,101 | 11/1985 | Hopp et al. | 260 | 112.5 | | |
| | 4,603,102 | 7/1986 | Himmelmann et al. | 430 | 523 | | |
| | 4,740,593 | 04/1988 | Gonzalez et al. | 435 | 243 | | |
| | 4,980,163 | 12/1990 | Blackburn et al. | 434 | 94.63 | | |
| | 5,043,176 | 08/1991 | Bycroft et al. | 426 | 335 | | |
| | 5,135,910 | 08/1992 | Blackburn etc al. | 514 | 2 | | |
| | 5,932,469 | 08/1999 | Hillman | 435 | 252.3 | | |
| | 6,218,362 | 04/2001 | Lavoic et al. | | | | |
| | 6,391,285 | 05/2002 | Hillman | 424 | 50 | | |
| | | | | | | | |
| FOREIGN PATENT DOCUMENTS | | | | | | | |
| | DOCUMENT NUMBER | DATE | COUNTRY | CLASS | SUBCLASS | TRANSLATION | |
| | | | | | | YES | NO |
|  | WO 92/18143 | 10/1992 | WIPO | | | | |
| | WO 93/1987 | 09/1993 | WIPO | | | | |
| | WO 98/56411 | 12/1998 | WIPO | | | | |
| | | | | | | | |
| | | | | | | | |
| OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.) | | | | | | | |
|  | Chen et al., Applied and Environmental Microbiology, Mar. 1999, p. 1336-1360 | | | | | | |
| | Hamada et al., Archs Oral Biol, vol. 20, p. 641-648 | | | | | | |
|  | Augustin et al. (1992) "Genetic analysis of epidermin biosynthetic genes and epidermin-negative mutants of Staphylococcus epidermis", Eur. J. Biochem, 204:1149-1154 | | | | | | |
| | Bedwell et al. (1989) "Sequence and Structural Requirements of a Mitochondrial Protein Import Signal Defined by Saturation Cassette Matogenesis", Mol. Cell. Biol., 9:1014-1025 | | | | | | |
| EXAMINER  | | | | DATE CONSIDERED 4/23/05 | | | |

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

| | | | | |
|--|--|--------------------------|--------------------|----------------|
| INFORMATION DISCLOSURE CITATION <i>(Use several sheets if necessary)</i> | | Docket Number (Optional) | Application Number | |
| | | UAB-17404/22 | | 10/790,914 |
| | | Applicant(s) | | Group Art Unit |
| | | Fengxia Qi, et al. | | |
| | | Filing Date | | |
| | | March 2, 2004 | | |

| *EXAMINER INITIAL | OTHER DOCUMENTS <i>(Including Author, Title, Date, Pertinent Pages, Etc.)</i> |
|-------------------|--|
| MA | Buchman et al. (1988) "Structure, Expression, and Evolution of a Gene Encoding the Precursor of Nisin, A Small Protein Antibiotic", J. Biol. Chem., 263:16260-16266. |
| | Burdett (1990) "Nucleotide sequence of the tet(M) gene of Tn916", Nucl. Acid Res., 18:6137 |
| f | Caufield et al. (1990) "Evidence that Mutacin II production is not mediated by a 5.6-kb plasmid in Streptococcus mutans", Plasmid, 24:110-118 |
| | Caufield et al. (1990) "Use of transposon Tn916 to inactivate isolate a mutacin-associated gene from Streptococcus mutans", Infection and Immunity, 58(12):4126-4135 |
| f | Caufield et al. (1985) "Distinct bacteriocin groups correlate with different groups of Streptococcus mutans plasmids", Infection and Immunity, 48(1): 51-56 |
| | Chikindas, M.L. et al. (1994) "Mutacin II, a bactericidal lantibiotic from streptococcus mutans", Antimicrobial Agents and Chemotherapy, 39(12):2645-2660 |
| f | Chou and Fasman (1975a) "Prediction of Protein Conformation", Biochemistry, 13(2):222-245 |
| | Chou and Fasman (1974b) "Conformational Parameters of Amino Acids in Helical, β -Sheet, and Random Coil Regions Calculated from Proteins", Biochemistry, 13(2):211-222 |
| f | Chou and Fasman (1978a) "Prediction of the Secondary Structure of Proteins from Their Amino Acid Sequence," Adv. Enzymol. Relat. Areas Mol. Biol. 47:45-148 |
| | Chou and Fasman (1978b) "Empirical Predictions of Protein Conformation", Ann. Rev. Biochem., 47:251-276. |
| f | Chung and Hansen (1992) "Determination of the Sequence of spaE and Identification of a Promoter in the Subtilin (spa) Operon in Bacillus Subtilis", J. Bacteriol. 174:6699-6702 |
| | Dodd et al. (1990) "Analysis of the genetic determinant for production of the peptide antibiotic nisin", J. Gen. Microbiol., 136:555-566 |
| f | Gawron-Burke and Clewell (1984) "Regeneration of Insertionally Inactivated Streptococcal DNA Fragments after Excision of Transposon Tn916 in Escherichia coli: Strategy for Targeting and Cloning of Genes from Gram-Positive Bacteria", J. Bacteriol., 159:214-221. |
| | |
| f | Bross and Kiltz (1973) "The Number and Nature of α , β -Unsaturated amino Acids in Subtilin", Biochem. Biophys. Res. Commun., 50:559-565. |
| | Hillman, J.D. et al. (1988) "Genetic and Biochemical Analysis of Mutacin 1140, a Lantibiotic from Streptococcus mutans", Infection and Immunity, 66(6):2743-2749 |
| f | Horinouchi and Weisblum (1982) "Nucleotide Sequence and Functional Map of pC194, a Plasmid that Specifies Inducible Chloramphenicol Resistance", J. Bacteriol., 150:815-825 |
| | Honr et al. (1991) "Nisin biosynthesis genes are encoded by a novel conjugative transposon" Mol. Gen. Genet., 228:129-135 |
| f | Jakes et al. (1988) "A Hybrid Toxin from Bacteriophage ϕ Attachment Protein and Colicin E3 has Altered Cell Receptor Specificity", J. Bacteriol., 170(9):4231-4238 |
| | Kaletta and Entian (1989) "Nisin, a peptide antibiotic: cloning and sequencing of the nisA gene and posttranslational processing of its peptide product", Journal of Bacteriology, 171(3):1597-1601 |
| f | Kyte and Doolittle (1982) "A Simple Method for Displaying the Hydropathic Character of a Protein", J. Mol. Biol. 157(1):105-132 |
| | LeBlanc et al. (1988) "Nucleotide Sequence Analysis of Tetracycline Resistance Gene tetO from Streptococcus mutans DL5", J. Bacteriol., 170(*) :3618-3626 |
| f | Liu and Hansen (1992) "Enhancement of the chemical and antimicrobial properties of subtilin by site-directed mutagenesis", J. Biol. Chemistry, 267(35):25078-25085 |
| | Liu and Hansen (1991) "conversion of Bacillus subtilis 168 to a Subtilin Producer by Competence Transformation", J. Bacteriol., 173(22):7387-7390 |

| | |
|----------|-----------------|
| EXAMINER | DATE CONSIDERED |
| | |

*EXAMINER: Initial if citation considered, whether or not citation is in conformance with MPEP Section 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

| | | | |
|--|--|---|---|
| INFORMATION DISCLOSURE CITATION <i>(Use several sheets if necessary)</i> | | Docket Number (Optional) UAB-17404/22 | Application Number 10/790,914 |
| | | Applicant(s) Fengxia Qi et al. | |
| | | Filing Date March 2, 2004 | Group Art Unit |

| *EXAMINER INITIAL | OTHER DOCUMENTS <i>(Including Author, Title, Date, Pertinent Pages, Etc.)</i> |
|--|--|
| | Loyola-Rodriguez et al. (1992) "Purification and properties of extracellular mutacin, a bacteriocin from Streptococcus sobrinus", J. Gen. Microbiology, 138:269-274. |
| | Macrina et al. (1977), "Survey of the Extrachromosomal Gene pool of Streptococcus Mutans", Infect. Immun., 17(1):215-226 |
| | Miller et al. (1991) "Quantition of Type I, II, and V Collagens in Human Tissue Samples by High-Performance Liquid Chromatography of Selected Cyanogen Bromide Peptides", Anal. Biochem. 196:54-60. |
| | Miller et al. (1990) "Amino Acid Analysis of Collagen Hydrolysates by Reverse-Phase High-Performance Liquid Chromatography of i-Fluorenylmethyl Chloroformate Derivates", Anal. Biochem., 190:92-97. |
| | Nakano and Kuranmitsu (1992) "Mechanixm of Streptococcus mutans Glucosyltransferases: Hybrid-Enzyme Analysis", J. Bacteriol. 174(17):5639-5646. |
| | Novak et al. (1996) "Detection of Modified Amino Acids in Lantibiotic Peptide Mutacin II by Chemical Derivatization and Electrospray Ionization - Mass Spectroscopic Analysis", Analytic Biochemistry, 236:358-360. |
| | Novak et al. (1994) "iIsolation and biochemical characterization of a novel lantibiotic mutacin from Streptococcus mutans", J. Bacteriol., 176(14):4316-4320. |
| | Novak et al. (1994) "Genetic and biochemical characterization of a novel lantibiotic from Streptococcus mutans", 7th International Congress of Bacteriology and Applied Microbiology Division, Jul. 3-8, 1994. |
| | Novak et al. (1993) "Biochemical Analysis of a Group II mutacin from Streptococcus mutans", 93rd General Meeting, Atlantic, Georgia, May 1993. |
| | Novak et al. (1994) "Characterization of a novel lantibiotic from Streptococcus mutans", IVth International ASM Conference on Streptococcal Genetics, Santa Fe, New Mexico, May 15-18, 1994. |
| | Ochman et al. (1993) "Use of Polymerase Chanin Recation to Amplify Segments Outside Boundaries of Known Sequences", Method. Enzymol. 218:309-321. |
| | Parrot et al. (1990) "Preliminary characterization of four bacteriocins from Streptococcus mutans", Can. J. Microbiol., 36:123-130. |
| | Schnell et al. (1992) "Analysis of genes involved in the biosynthesis of lantibiotic epidermin", Eur. J. Biochem., 204:57-68. |
| | Sevag et al. (1938) "The isolation of the components of Streptococcal nucleoproteins in serologically active form", J. Biol. Chem., 124:425-436. |
| | |
| Tagg et al. (1990) "A longitudinal study of Lancefield group A streptococcus acquisitions by a group of young Dunedin schoolchildren", N.Z. Med. J., 103:429-31. | |
| Treiu-Cuot et al. (1990) "Nucleotide sequence of the erythromycin resistance gene of the conjugative transposon Tn1545", Nuc. Acids Res., 18(12):3660. | |
| Tudor et al. (1990) "Size of the Streptococcus mutans GS-5 Chromosome as Determined by Pulsed-Field Gel Electrophoresis", Infect. Immun. 58(3):838-840. | |
| | Van der Meer et al. (1993) "Characterization of the Lactococcus lactis Nisin A Operon Genes nisP, Encoding a Subtilisin-Like Serine Protease Involved in Precursor Processing, and nisR, Encodinga Regulatory Protein Involved in Nisin Biosynthesis", J. Bacteriol., 175(9):2578-2588 |
| | Van der Rijn and Kessler (1980) "Growth Characteristics of Group A Streptococci in a New Chemically Defined Medium", Infect. Immunol., 27(2):444-448. |
| | Woodruff et al. (1998) "Sequence Analysis of a mutA and mutM genes involved in the biosynthesis of the lantibiotic mutacin II in Streptococcus mutans", Gene 206:37-43. |
| | |

| | |
|----------|--------------------------------|
| EXAMINER | DATE CONSIDERED 4/23/05 |
|----------|--------------------------------|

*EXAMINER: Initial if citation considered, whether or not citation is in conformance with MPEP Section 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.